



# Blue Lube Pipe Gasket Lube

BLUE LUBE PIPE GASKET LUBE

## DIRECTIONS FOR USE:




**Step 1: Clean bell of pipe.** Remove any loose dirt, gravel, rust, scale, or foreign material. Remove standing water for best results.




**Step 2: Clean spigot of pipe** as in Step 1. Surfaces must be thoroughly clean before application of "Blue Lube".



**Step 3: Apply "Blue Lube" liberally to the bell of pipe.** For best results use a cotton swab applicator.



**Step 4: Apply "Blue Lube" liberally to the spigot of pipe.** Keep the lubricated surfaces free from dirt.



**Step 5: Immediately after application of the lubricant, assemble the joint.** Apply even pressure and insert the spigot into the bell.



- Tasteless
- Odor Free
- 100% Water Soluble
- Easy to Flush
- Non-Toxic
- Non-Reactive to Chlorine
- Non-Receptive to Bacteria
- Non-Corrosive
- Nonflammable

A lubricant for all metal or plastic gasketed pipe including Victaulic type fittings. Works on wet or dry surfaces. Formulated to completely flush from the system and will not transfer taste or odor.

Blue Lube will flush out of the system without having to repeatedly flush the line, saving both time and water. Does not cause a "greasy" taste in the water like many oleate-based lubricants resulting in fewer customer complaints. NSF Standard 14 and 61 approved for safe for potable water systems.

Will not stain hands or clothes. Cleans up with water or dry towel. Will not become runny at higher temperatures resulting in loss of product.

## RECOMMENDED USE

A blue viscous gasket lubricant for lubricating all rubber and plastic gaskets used in mechanical pipe coupling including Gruklok\* and Victaulic\*\* type fittings. **BLUE LUBE** insures proper alignment of gaskets for correct fit during pipe installation. It works well on wet or dry surfaces and is nontoxic and suitable for use on potable water systems. Blue Lube is odorless and cleans up easily. Safe for use on all metals, plastics and rubber gasketed pipe.

**Blue Lube** Pipe Gasket Lube's new formula greatly improves the assembly of mechanical joint couplings and improves pipe slip with both ductile iron and plastic pipe. **Blue Lube** is an environmentally friendly "green" product that requires less water to flush from the system and prevents turbidity, taste, and/or odor problems in new water main installations.

**DRYING TIME** of the lubricant will vary with weather conditions; therefore, it is important to join the pipe and gasket as soon as possible after applying the lubricant. If drying should occur before joining the pipe with the gasket, re-swab the pipe and gasket immediately. For best results, apply with a cotton swab applicator.